

St. Leo

SAFETY SHEET:
LIME PAINT
2025

PAGE 1 / 13



CONTACT:
+45 53740622
INFO@STLEOINTERIORS.COM
STLEOINTERIORS.COM

ACCORDING TO REGULATION (EC)
NO. 1907/2006 (REACH) 2020/878/EU

1. SECTION:

Identification of the mixture and of partnership of the company

1.1 PRODUCT IDENTIFIER

PRODUCT NAME: Lime Paint

UFI CODE: TIM5-U0CQ-Q001-N1S4

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Painting for architectural use

Uses advised against: All uses not specified in this Section or in Section 7.3

1.3 DETAILS OF THE SUPPLIER OF THIS SAFETY DATA SHEET

St. Leo ApS

Trelleborggade 5, 2150 Nordhavn

København, Danmark

Tel: +45 53 74 06 22

E-MAIL ADDRESS OF PERSON RESPONSIBLE FOR THIS SDS: info@stleointeriors.com

1.4 EMERGENCY TELEPHONE NUMBER

Contact The National Poisons Information Service in your region. See Section 4 "First aid measures".

2. SECTION:

Hazards identification

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLP REGULATION NO. 1272/ 2008:

Classification of this product has been carried out in accordance with CLP Regulation n° 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318

Skin Irrit. 2: Skin Irritant, Category 2, H315

2.2 LABEL ELEMENTS

CLP REGULATION NO. 1272/ 2008 (CLP):

DANGER



2.3 HAZARD STATEMENT

Eye Dam. 1: H318 Serious Eye Damage

Skin Irrit. 2: H315 Causes skin irritation

2.4 PRECAUTIONARY STATEMENTS

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves / protective clothing / eye protection / face protection.

P302 + P352: IN CASE OF CONTACT WITH SKIN: Wash with plenty of water.

P205 + P351 + P338: Rinse cautiously with water for several minutes.

Remove contact lenses when present and easy to do. Continue rinsing.

P332 + P313: In case of skin irritation: Get medical advice/attention.

P501: Dispose of contents and/or their container according to the separated collection system used in your municipality.

ADDITIONAL INFORMATION

Not relevant

2.5 SUBSTANCES THAT CONTRIBUTE TO THE CLASSIFICATION

Calcium hydroxide

2.6 OTHER HAZARDS

The mixture does not contain substances classified as PBT (Persistent, Bioaccumulative and Toxic).

The mixture does not contain substances classified as vPvB (very Persistent and very Bioaccumulative).

The mixture does not contain substances with endocrine disrupting properties.

Under normal conditions of use and in its original form, the product has no other negative effects on health and the environment.

3. SECTION:

Composition/information on ingredients

3.1 SUBSTANCE

Non-applicable

3.2 MIXTURE

Substances that represent a health or environmental hazard according to Regulation (EC) No. 1272/2008, are assigned a Community workplace exposure limit, are classified as PBT/vPvB or are included in the Candidate List: No relevant.

IDENTIFIERS	NAME	%	CLASSIFICATION Regulation No. 1272/2008 [CLP]	SPECIFIC CONCENTRATION LIMITS AND ACUTE TOXICITY ESTIMATION
CAS: 1305-62-0 CE: 215-137-3 Indice: No applicable REACH: 01-2119475151-45-XXXX	Calcium dihydroxide	10 - 20 %	Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3 H335	-

4. SECTION:

First aid measures

4.1 DESCRIPTION OF FIRST AID MEASURES

Symptoms as a result of intoxication can occur after exposure, so in case of doubt, direct exposure to the chemical or persistence of discomfort request medical attention, showing the SDS of this product.

BY INHALATION: This product is not classified as hazardous through inhalation; however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

BY SKIN CONTACT: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burn or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

BY EYE CONTACT: Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close eyes. In case the accident victim wears contact lenses, they should be removed as long as they are not attached to the eyes, otherwise there could be additional damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

BY INGESTION / ASPIRATION: Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. In the event that vomiting occurs, keep head tilted forward to avoid aspiration. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

- 4.2 MAIN SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED
Acute and delayed effects are indicated in Sections 2 and 11.
- 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED
Non-applicable
-

5. SECTION: Fire Extinguishing

- 5.1 EXTINGUISHING MEDIA
Non-flammable product under normal conditions of storage, handling and use. In case of inflammation as a result of handling, storage or improper use any type of extinguishing agent can be used (ABC Powder, water...), according to the regulation of fire protection installations (R.D. 1942/1993 and subsequent modifications). It is NOT RECOMMENDED to use water jet as an extinguishing agent.
- 5.2 SPECIFIC HAZARDS ASSOCIATED WITH THE SUBSTANCE OR MIXTURE
As a consequence of combustion or thermal decomposition, reaction by products are generated that can be highly toxic and, consequently, can present a high risk to health.
- 5.3 ADVICE FOR FIREFIGHTERS
Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit...) in accordance with R.D.486/ 1997 and subsequent modifications.

ADDITIONAL PROVISIONS

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

6. SECTION: Accidental release measures

- 6.1 PERSONAL SAFETY MEASURES, PERSONAL PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES
Isolate leakage as long as it does not pose an additional risk to people who perform this function. In the event of potential exposure with the spilled product, the use of personal protection elements is mandatory. (See Section 8). Evacuate the area and keep out those who do not have protection.
- 6.2 ENVIRONMENTAL PROTECTION MEASURES
Avoid spillage into the aquatic environment because it contains substances dangerous to it. Contain the product absorbed / collected in sealable containers. Notify the competent authority in case of large spillages in the aquatic environment.
- 6.3 METHODS AND EQUIPMENT FOR CONTAINMENT AND CLEANING
It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult Section 13.
- 6.4 REFERENCE TO OTHER SECTIONS
See Sections 8 and 13.

7. SECTION: Handling and storage

7.1 PRECAUTIONS FOR SAFE HANDLING

A. GENERAL PRECAUTIONS

Comply with current legislation on the prevention of occupational risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (Section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B. TECHNICAL RECOMMENDATIONS FOR THE PREVENTION OF FIRES AND EXPLOSIONS

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult Section 10 for information on conditions and materials that should be avoided.

C. TECHNICAL RECOMMENDATIONS TO PREVENT ERGONOMIC AND TOXICOLOGICAL RISKS

For exposure control consult Section 8. Do not eat, drink or smoke in the work areas; Wash your hands after each use, and remove contaminated clothing and protective equipment before entering the eating areas.

D. TECHNICAL RECOMMENDATIONS TO PREVENT ENVIRONMENTAL RISKS

It is recommended to have absorbent material available at close proximity to the product (See Section 6.3).

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

A. TECHNICAL MEASURES FOR STORAGE ITC

(R.D.379/2001): Non-applicable

Classification: Non-applicable

Minimum Temp: 5 °C

Maximum Temp: 30 °C

Maximum Time: 24 months

GENERAL CONDITIONS FOR STORAGE

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see Section 10.5

7.3 SPECIFIC END USE(S)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

8. SECTION: Exposure control/personal protective equipment

8.1 CONTROL PARAMETERS

Substances whose occupational exposure limit values have to be controlled in the work environment (INSHT 2017):

IDENTIFICATION	ENVIRONMENTAL LIMIT VALUES	
Calcium dihydroxide CAS: 1305-62-0 CE: 215-137-3	VLA-ED	5 mg/m ³
	VLA-EC	
	YEAR	2016

DNEL (WORKERS)

IDENTIFICATION		SHORT EXPOSURE		LONG EXPOSURE	
		SYSTEMATIC	LOCAL	SYSTEMATIC	LOCAL
Calcium dihydroxide CAS: 1305-62-0 CE: 215-137-3	ORAL	No relevant	No relevant	No relevant	No relevant
	CUTANEOUS	No relevant	No relevant	No relevant	No relevant
	INHALATION	No relevant	4 mg/m ³	No relevant	1 mg/m ³

DNEL (POPULATION)

IDENTIFICATION		SHORT EXPOSURE		LONG EXPOSURE	
		SYSTEMATIC	LOCAL	SYSTEMATIC	LOCAL
Calcium dihydroxide CAS: 1305-62-0 CE: 215-137-3	ORAL	No relevant	No relevant	No relevant	No relevant
	CUTANEOUS	No relevant	No relevant	No relevant	No relevant
	INHALATION	No relevant	4 mg/m ³	No relevant	1 mg/m ³

PNEC



IDENTIFICATION					
Calcium dihydroxide CAS: 1305-62-0 CE: 215-137-3	STO	3 mg/l	FRESH WATER	0.49 mg/l	
	SOIL	1080 mg/kg	SALT WATER	0.32 mg/l	
	INTERMITTENT	0.49 mg/l	SEDIMENT (FRESH WATER)	No relevant	
	ORAL	No relevant	SEDIMENT (SALT WATER)	No relevant	

8.2 EXPOSURE CONTROLS



A. GENERAL SECURITY AND HYGIENE MEASURES IN THE WORKPLACE

As a preventive measure, the use of basic personal protective equipment is recommended, with the corresponding “CE marking” according to R.D.1407 / 1992 and subsequent modifications. For more information on personal protection equipment (storage, use, cleaning, maintenance, protection class...) consult the information leaflet provided by the EPI manufacturer. The indications contained in this point refer the pure product. The protection measures for the diluted product may vary depending on its degree of dilution, use, method of application, etc. To determine the obligation to install emergency showers and/or eyewash in the warehouses will be taken into account the regulations regarding the storage of chemical products applicable in each case. For more information see Section 7.1 and 7.2. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B. RESPIRATORY PROTECTION



PICTOGRAM	EPI	LABELLING	CEN STANDARD	REMARKS
 Mandatory respiratory protection	Self-filtering mask for gases and vapors	 CAT III	EN 405:2001+A1:2009	Replace when odor or taste of contaminant is detected inside the face mask or adapter. When the contaminant does not have good warning properties, the use of insulating equipment is recommended.

C. SPECIFIC PROTECTION OF HANDS





PICTOGRAM	EPI	LABELLING	CEN STANDARD	REMARKS
 Mandatory hand protection	Protective gloves against minor risks		EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420: 2003+A1:2009	Replace any signs of deterioration. For prolonged periods of exposure to the product for professional/industrial users, the use of CE III gloves is recommended, in accordance with standards EN 420 and EN 374.

Since the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and therefore to be checked prior to the application.



D. OCULAR AND FACIAL PROTECTION

PICTOGRAM	EPI	LABELLING	CEN STANDARD	REMARKS
 Mandatory face protection	Panoramic glasses against splashes and/or projections		EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. It is recommended in case of risk of splashes.

E. CORPORAL PROTECTION

PICTOGRAM	EPI	LABELLING	CEN STANDARD	REMARKS
 Mandatory body protection	Work wear		EN 13034:2005+ A1:2009 EN 168:2001 EN ISO 13982-1:2004/ A1:2010 EN ISO 6529:2001 EN ISO 6530:2005 EN 464:1994	Clean daily and disinfect periodically according to the manufacturer's instructions. It is recommended in case of risk of splashes.
 Mandatory foot protection	Anti-slip work footwear		EN ISO 20345:2011 EN 13832-1:2006	Replace any signs of deterioration. For prolonged periods of exposure to the product for professional / industrial users, CE III is recommended, according to EN ISO 20345 and EN 13832-1

F. ADDITIONAL EMERGENCY MEASURES

EMERGENCY MEASURE	STANDARDS	MARKED	STANDARDS
 Emergency shower	ANSI Z358-1 ISO 3864-1: 2002	 Eyewash station	DIN 12 899 ISO 3864-1:2002

ENVIRONMENTAL EXPOSURE CONTROLS

Under Community legislation for the protection of the environment, it is recommended to avoid spilling both the product and its packaging into the environment. For additional information see Section 7.1 D.

VOLATILE ORGANIC COMPOUNDS

In application to R.D.117/ 2003 and subsequent amendments (Directive 2010/75/EU), this product has the following characteristics:
Non-applicable.

9. SECTION: Physical and chemical properties

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

APPEARANCE: Liquid

ODOUR: Undetermined

VOLATILITY

BOILING POINT AT ATMOSPHERIC PRESSURE: 100 °C

VAPOUR PRESSURE AT 20 °C: 2350 PA

VAPOUR PRESSURE AT 50 °C: 12381 PA (12 KPA)

EVAPORATION RATE AT 20 °C: Non-applicable*

PRODUCT DESCRIPTION

DENSITY AT 20 °C: 1500KG/M³

RELATIVE DENSITY AT 20 °C: 1,50

DYNAMIC VISCOSITY AT 20 °C: Non-applicable*

PH: 13

VAPOUR DENSITY AT 20 °C: Non-applicable*

PARTITION COEFFICIENT N-OCTANOL/WATER AT 20 °C: Non-applicable*

SOLUBILITY IN WATER AT 20 °C: Non-applicable*

SOLUBILITY PROPERTIES: Non-applicable*

EXPLOSIVE PROPERTIES: Non-applicable*

OXIDIZING PROPERTIES: Non-applicable*

FLAMMABILITY

FLASHPOINT: Not flammable

FLAMMABILITY (SOLID, GAS): Non-applicable*

* Not relevant due to the nature of the product, not providing information property of its hazards.

9.2 OTHER INFORMATION

No further information.

10. SECTION: Stability and reactivity

10.1 REACTIVITY

Hazardous reactions are not expected if the Technical instructions for the storage of chemical products are met. See Section 7.

10.2 CHEMICAL STABILITY

Chemically stable under the conditions of storage, handling and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressures are not expected.

10.4 CONDITIONS TO AVOID

Applicable for handling and storage at room temperature:

SHOCK AND FRICTION	CONTACT WITH AIR	HEATING	SUNLIGHT	HUMIDITY
Non-applicable	Non-applicable	Avoid direct incidence	Avoid direct incidence	Non-applicable

10.5 INCOMPATIBLE MATERIALS

ACIDS	WATER	COMBUSTIVE MATERIALS	COMBUSTIBLE MATERIALS	OTHERS
Avoid strong acids	Non-applicable	Avoid direct incidence	Caution	Avoid alkalis or strong bases

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

See Section 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

11. SECTION: Toxicological information

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

The experimental information related to the toxicological properties of the product itself is not available.

DANGEROUS EFFECTS FOR HEALTH

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A. INGESTION (ACUTE EFFECT)

ACUTE TOXICITY: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

CORROSIVITY / IRRITABILITY: The ingestion of a considerable dose can cause throat irritation, abdominal pain, nausea and vomiting.

B. INHALATION (ACUTE EFFECT)

ACUTE TOXICITY: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

CORROSIVITY / IRRITABILITY: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

C. CONTACT WITH THE SKIN AND THE EYES (ACUTE EFFECT)

CONTACT WITH THE SKIN: No relevant.

CONTACT WITH THE EYES: No relevant.

D. CMR EFFECTS (CARCINOGENICITY, MUTAGENICITY AND TOXICITY TO REPRODUCTION)

CARCINOGENICITY: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

MUTAGENICITY: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

REPRODUCTIVE TOXICITY: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

E. SENSITIZING EFFECTS

RESPIRATORY: Based on available data, the classification criteria are not met, not presenting substances classified as dangerous with sensitizing effects above the limits set out in point 3.2 of Regulation (EC) 2015/ 830. For more information see Section 2, 3 and 15.

CUTANEOUS: Prolonged skin contact can lead to episodes of allergic contact dermatitis.

F. SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see Section 3.

G. SPECIFIC TARGET ORGAN TOXICITY (STOT)-REPEATED EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY (STOT)-REPEATED EXPOSURE: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see Section 3.

SKIN: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see Section 3.

H. ASPIRATION HAZARD

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see Section 3.

ADDITIONAL INFORMATION

Non-applicable

SPECIFIC TOXICOLOGY INFORMATION ON THE SUBSTANCES

IDENTIFICATION	ACUTE TOXICITY		GENUS
Calcium dihydroxide CAS: 1305-62-0 CE: 215-137-3	DL50 oral	7340 mg/kg	Rat
	DL50 cutaneous	No relevant	
	CL50 inhalation	No relevant	

11.2 INFORMATION CONCERNING OTHER HAZARDS

ENDOCRINE DISRUPTING PROPERTIES

This product does not contain components with endocrine disrupting properties that have an effect on human health.

OTHER INFORMATION

No information on other adverse health effects is available.

12. SECTION: Ecological information

12.1 TOXICITY

Experimental information related to the eco-toxicological properties of the product itself is not available.

IDENTIFICATION	ACUTE TOXICITY		SPECIE	GENUS
Calcium dihydroxide CAS: 1305-62-0 CE: 215-137-3	CL50	160 mg/l (96 h)	Gambussia affinis	Fish
	CE50	No relevant		
	CE50	No relevant		

12.2 PERSISTENCE AND DEGRADABILITY

Not applicable

12.3 BIOACCUMULATIVE POTENTIAL

Undetermined

12.4 MOVILITY IN SOIL

Not applicable

12.5 RESULTS OF PBT Y MPMB ASSESSMENT

Not applicable

12.6 ENDOCRINE DISRUPTING PROPERTIES

This product does not contain components with endocrine disrupting properties on the environment.

12.7 OTHER ADVERSE EFFECTS

Not described

13. SECTION: Disposal considerations

13.1 WASTE TREATMENT METHODS

CODE	DESCRIPTION	WASTE CLASS (REGULATION (UE) N°1357/2014)
1709 04	Mixed construction and demolition waste other than those specified in codes 17 09 01, 17 09 02 and 17 09 03	No dangerous

TYPE OF WASTE (REGULATION (UE) NO. 1357/2014): Not applicable.

WASTE MANAGEMENT (DISPOSAL AND EVALUATION)

Consult the authorized waste service manager on assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/ 98/ EC, Law 07/ 2022). As under 15 01 (2014/ 955/ EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as nondangerous residue. We do not recommend disposal down the drain. See Section 6.2.

LEGISLATIVE PROVISIONS RELATED TO WASTE MANAGEMENT

In accordance with Annex II of Regulation (EC) n° 1907/ 2006 (REACH) the community or state provisions related to waste management are stated.

Community legislation: Directive 2008/ 98/ CE, 2014/ 955/ UE, Regulation (EU) n° 1357/ 2014

14. SECTION: Transport information

14.1 ONU NUMBER OR ID NUMBER
Not applicable

14.2 UNITED NATIONS PROPER SHIPPING NAME
Description:
ADR/RID: Not dangerous in transport.
IMDG: Not dangerous for transport.
ICAO/IATA: Not dangerous for transport.

14.3 TRANSPORT HAZARD CLASS(ES)
Exempt

14.4 PACKAGING GROUP
Not applicable

14.5 ENVIRONMENTAL HAZARDS
See Section 12

14.6 SPECIAL PRECAUTIONS FOR USERS
See Section 13

14.7 CARRIAGE BY SEA IN BULK UNDER IMO INSTRUMENTS
Unrestricted

15. SECTION:

Regulatory information

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Candidate substances for authorization under the Regulation (EC) 1907/ 2006 (REACH): Not applicable.

Substances included in Annex XI V of REACH (Authorization list) and of expiration: Not applicable.

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Not applicable.

Active substances which have been included in Article 95 of Regulation (EU) No 528/2012: Calcium dihydroxide.

REGULATION (EU) No 649/2012 concerning the export and import of dangerous chemicals: Not relevant.

LIMITATION TO COMMERCIALIZATION AND THE USE OF CERTAIN DANGEROUS SUBSTANCES AND MIXTURES (ANNEX XVII REACH, ETC.)

Not applicable

SPECIFIC PROVISIONS IN TERMS OF PROTECTING PEOPLE OR THE ENVIRONMENT

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

OTHER LEGISLATION

Regulation (EC) n° 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, Labelling and packaging of Substances and mixtures, and amending and repealing Directives 67/548 / EEC and 1999/45 / EC and amending Regulation (EC) n° 1907/2006

15.2 CHEMICAL SAFETY ASSESSMENT

The supplier has not carried out evaluation of chemical safety.

16. SECTION:

Other information

16.1 LEGISLATION RELATED TO SAFETY DATA SHEETS

This safety data sheet has been designed in accordance with ANNEX II -Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/ 2006 (Regulation (EC) N° 2020/ 878)

16.2 TEXTS OF THE LEGISLATIVE PHRASES MENTIONED IN SECTION 2

H318: Serious eye damage

H315: Causes skin irritation

16.3 TEXTS OF THE LEGISLATIVE PHRASES MENTIONED IN SECTION 3

The phrases listed do not refer to the product itself, they are for information only and refer to the individual components listed in Section.

Regulatory n° 1272/ 2008 (CLP):

Eye Dam. 1: H318 - Causes serious damage to eyes.

Skin Irrit. 2: H315 - Causes skin irritation

16.4 CLASSIFICATION PROCEDURE

Eye Dam. 1: Calculation method

Skin Irrit. 2: Calculation method

16.5 ADVICE RELATED TO TRAINING

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

16.6 MAIN BIBLIOGRAPHIC SOURCES

[http:// esis.jrc.ec.europa.eu](http://esis.jrc.ec.europa.eu)

[http:// echa.europa.eu](http://echa.europa.eu)

[http:// eur-lex.europa.eu](http://eur-lex.europa.eu)

16.7 ABBREVIATIONS AND ACRONYMS

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

OACI: International Civil Aviation Organization

COD: Chemical Oxygen Demand

BOD5: 5-days biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50 - DL50: dosis letal 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log POW: Octanol–water partition coefficient

Koc: Partition coefficient of organic carbon

NOTICE TO READER

IMPORTANT

The information contained in this safety data sheet is based on our current knowledge and on applicable law.

The information is not exhaustive.

Any use of the product for purposes other than that specified in the technical data sheet shall be carried out at the user's own risk, unless written confirmation has been obtained from us prior to use as to the suitability of the product for the specified purpose.

It is always the responsibility of the user to comply with the requirements laid down in national law. Always read the safety data sheet and the technical data sheet, if available.

According to our knowledge, the advice and statements about the product given from us are correct, but we have no control over the quality or condition of the substrate or the many factors that affect the use and application of the product. Therefore, unless otherwise stated in writing by us, we accept no responsibility for the performance of the product or for any loss or damage caused by the use of the product. All products offered/delivered and technical advice are subject to our general terms and conditions. They should request a copy of these documents and review them thoroughly.

Subject to changes in this data sheet, as a result of new knowledge and our policy on ongoing development.

It is the responsibility of the user to verify that this data sheet is the latest issue before the product used.

Trademarks mentioned in this data sheet belong to St. Leo ApS.